

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: KAKUGAWA, et al.

Serial No. : 09/554,155

Group Art Unit:

Date Filed : May 9, 2000

Examiner:

For : MAGNET APPARATUS AND MRI APPARATUS

#3

1185 Avenue of the Americas  
New York, N.Y. 10036Assistant Commissioner for Patents  
Box PCT  
Washington, D.C. 20231

**RESPONSE TO NOTIFICATION OF MISSING REQUIREMENTS**  
**UNDER 35 U.S.C. 371 IN THE UNITED STATES**  
**DESIGNATED/ELECTED OFFICE (DO/EO/US)**

Sir:

In response to the Notification of Missing Requirements Under 35 U.S.C. §371 in the United States Designated/Elected Office (DO/EO/US) dated June 14, 2000, Applicants submit herewith replacement pages 44-55, which are believed to be an accurate translation of the claims of the international application as originally filed.

Applicants' U.S. representative now understands that the claims in the previously submitted translation into English were the amended claims of the international application, but had misunderstood at the time that they were the originally filed claims. The error is regretted, and is now being corrected.

I hereby certify that this paper is being deposited this date with the U.S. Postal Service as first class mail addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

*Ivan S. Kavrukov*  
Ivan S. Kavrukov  
Reg. No. 25,161

*Aug 15, 2000*  
Date

Applicants also submit a check for \$130 for the processing fee set forth in 37 C.F.R. 1.492(f).

The Commissioner is authorized to charge any additional fees, or to credit any overpayment, to our Deposit Account No. 03-3125.

If a petition for an extension of time is required to make this response timely, this paper should be considered to be such a petition, and the Commissioner is authorized to charge the requisite fees to our Deposit Account No. 03-3125.

Respectfully submitted,



---

Ivan S. Kavrukov, Reg. No. 25,161  
Attorney for Applicants  
Cooper & Dunham LLP  
Tel.: (212) 278-0400



UNITED STATES DEPARTMENT OF COMMERCE

Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Box PCT

Washington, D.C. 20231

09/554155


US APPLICATION NO.

ATTACHMENT TO FORM PCT/DO/EO/

### NOTICE OF DEFECTIVE TRANSLATION

The received translation is defective because:

- ☐ (1) The text in the drawings has not been properly translated;
- ☒ (2) The number of claims in the International Application and the number of claims in the translation are not the same;
- ☐ (3) The translation of the International Application is incomplete as a number of pages are missing;
- ☐ (4) Other.

  
Telephone: (703) 305-3661